of 1901 to collect debts payable in respect of Rangappa, deceased, resident of Thavarekere, Sira Taluk.

Notice is hereby given of the said application and all claimants in the estate of the said Rangappa, deceased, are invited to appear in this Court on the 28th day of May 1937, when the application of the said petitioners will be heard, and the right of the certificate will be determined.

Given under my hand and the seal of the Court this 2nd April 1937.

G. NATARAJ,
Munsiff.

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 22nd April 1937 published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers ..	23,43,438
,, Reserve Fund	25,00,000	,, Loans and Cash Credit Accounts	1,74,37,135
,, Public and other Deposits	2,60,70,279	,, Bills discounted	7,83,825
,, Sundries	4,14,497	,, Investments	96,10,878
		,, Balance at Agencies	..
		,, Dead Stock	7,31,892
		,, Sundries	77,608
Total ..	3,09,84,776	Total ..	3,09,84,776

(Annas and pies omitted).

BANGALORE,
Dated 26th April 1937.

T. M. S. SUBRAMANIAM,
Ag. *Manager.*

"I intend to move the High Court of Mysore, to enrol me as an Advocate thereof.

S. DIVAKARIAH, B.A., LL.B."

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No: S. P. C. 19645-58, *dated 20th April* 1937.

To

The Firms dealing in Boilers.

Enquiry No. 2247.

BOILORS.

GENTLEMEN,

Please be good enough to intimate your best prices F. O. R. Mysore-South Station and the earliest time of delivery for the materials described below :—

Vertical water tube boilers of the latest type of the following specification : 2

(1) Working pressure 120 lbs. per square inch .. ..
(2) Generating capacity of steam 6,000 lbs. per hour .. ..
(3) Fuel used is ordinary junglewood with calorific value of about 50 per cent of coal .. ..
(4) Super-heater not required .. ..
(5) Steam used for distillation and also for feed pumps of the boilers .. ..

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) The quotation should be for delivery F. O. R. Mysore South Station, Mysore Railways.
(2) The tender should be complete with full specifications, catalogues, description, blue prints, etc.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee, reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Boilers and sent to the undersigned with the above enquiry Number.

This enquiry will be closed on the 22nd of May 1937.

No. S. P. C. 19744-62, dated 20th April 1937.

To

The Firms dealing in Copper Wire.

Enquiry No. 2249.

S. B. & S. BARE COPPER WIRE FOR TELEPHONE LINE.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following material.

(1) *Miles* 85.—Hard drawn bare copper wire solid, of size No. 8 B. & S., having an ultimate strength of not less than 830 lbs., and conforming to the A. I. E. E. or B. E. S. A., standards, in coils of one mile lengths rolled on reels.

As the meterial is required urgently, the time of delivery should be the earliest possible and should be strictly adhered to in the event of the order being placed with you.

The price to be quoted should be per ton and delivery C. I. F., Madras. In case any portion of the material can be delivered from stock, you may quote the price for delivery F. O. R., Bangalore.

The price of Electrolytic copper on which your price is based should be specified in your tender.

This enquiry will close on the 30th April 1937.

No. S. P. C. 20065-85 dated 23rd April 1937.

To

The Firms dealing in Pumping Sets.

Enquiry No. 2252.

ELECTRIC PUMPING SET FOR FIG CULTIVATION AT GANJAM.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for one Electric Pumping Set as described in the appended schedule.

The price to be quoted should be for delivery F.O.R., Seringapatam.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "quotations for Electric Pumping Set," with the above enquiry number.

This enquiry will be closed on the 15th May 1937.

Specifications for A.C. Motor Driven Centrifugal Pumping Set required to supply water for Fig Cultivation at Ganjam:

Pump.—One centrifugal pump capable of delivering 100 gallons a minute against a head of 125' from all causes.

The pump should be made of hard grained cast iron casing and fitted with phosphor-bronze impeller and neck-rings and bushes mounted on stainless steel shaft working in ball bearing at the ends.

The pump should be further fitted with pressure and vacuum guages, priming and drain cock, etc.

The pump should be of the horizontally split-casing type to enable easy dismantling for inspection and overhauling.

The pump is to be supplied with a foot valve and strainer suited to the suction diameter of the pump and the delivery side of it to be fitted with a non-return valve and a sluice valve suited to its delivery size.

Motor.—The pump is to be driven by a suitable electric motor running on 220 volts, 3 phase, 25 cylce A.C. System.

The motor to have drip-proof casing working in ball bearings and provided with ample ventilation as it is to work at a temperature of about 100°F.

The motor and pump are to be mounted on a comomn base-plate and to be directly coupled by means of flexible couplings and bushes.

The above motor driven unit to be supplied with suitable starting switch board, and panel fitted with volt meter and ammeter.

Spares.

Pump.—One set of neck rings, bushes,
One set of two bearings,
One impeller.

Motor.—One set of bearings.

Alternative quotations may also be given for pumps of the injector type which can lift water even when the suction is 35'.

WATER SUPPLY FOR FIG CULTIVATION AT GANJAM.

Calculation Sheet.

R.L. of site of Reservoir	102.18
Staging	10'
F. S. L.	8'
R. L. of F. S. L.	120.18
Lowest water level in river	32.84
∴ Static head	87.34'

Discharge 6,000 gallons an hour or 100 gallons per minute.
Friction in 4" a in for this discharge=.040' per yard.

Length	650 yds.
∴ Total friction	26'

∴ Total Lift—87+26=113'.

∴ Pump to be capable of discharging agianst 125' head to provide for possible incrustation, etc.

No. S. P. C. 20176-84, dated 26th April 1937.

To

The Firms dealing in Mathematical Instruments.

Enquiry No. 2254.

BOX-WOOD FOOT RULE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the appended schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Box-wood Foot-Rule," with the above enquiry number.

This enquiry will be closed on the 3rd May 1937.

Schedule.

Item No.	Description of material offered.	Quantity	Price quoted F. O. R.	Time of delivery
	Box-wood foot-rule 2 feet long, four fold ..	One doz.	Yediyur Post.	

No. S. P. C. 20205-12; dated 26th April 1937.

To

The Firms dealing in Filtering Plants.

Enquiry No. 2255.

FILTERING PLANT.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be districtly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Filtering Plant," with the above enquiry number.

This enquiry will be closed on the 10th May 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	60 inch Pressure Filter capable of filtering 3,000 gallons per hour	One	Tumkur.	

N.B.—Detailed specification of the equipment offered with illustrated literature may be furnished.

No. S. P. C. 20301-13, dated 26th April 1937.

To

The Firms dealing in Cast Iron Materials.

Enquiry No. 2258.

CAST IRON METER BOXES.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following materials :—

500 *Nos.*—Cast iron meter boxes of good quality conforming to the dimensions shown in sketch which will be furnished on request.

The price to be quoted should be for delivery, F.O.R., Bangalore. In the case of resident firms, the price should be for free delivery at the Stores of the Water Supply Division, Public Works Department, Bangalore.

As we require the materials urgently, the time of delivery to be stipulated should be strictly adhered to in the event of an order being placed with you, subject to the levy of a penalty of 3 per cent of the value of the order for delay in supply.

This enquiry will close on the 15th May 1937.

No. S. P. C. 20333-43, *dated 26th April* 1937.

To

The Firms dealing in Hospital Furniture.

Enquiry No. 2259.

HOSPITAL FURNITURE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Hospital Furniture," with the above enquiry Number.

This enquiry will be closed on the 17th May 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Cots, Lawson Tait Model, 6½′×3′×21″ with 14 springs on each side, having 1″ pipe enamelled in white	No. 6	Shimoga.	1
2	Cot, Fracture Board, fitted with special forged steel brackets on which the fracture boards can be introduced without disturbing the patient ; with "Lumex" ball bearing self lubricating castors, with 2″ wood wheels on all four legs. Height from floor to surface of spring mesh, 24″; Headend bow, 44″. Size 6½′×3′ Finished black ; with lifting Pole with chain	„ 1		
3	Bed Screen, made of tubular frame, medium, three-folds fitted with brass ball bearing castors, without cloth. Size 56″×38″. Total height 65″	„ 1		
4	Nurse's Tables, made of tubes and the top fitted with ply board with two drawers. Size 48″×27″× height 30″. Finished in white	„ 2		
5	Square Tables, All Metal ; Top 24″×24″ ; Height 26″ with removable legs	„ 3		

No. S. P. C. 20344-52, *dated 26th April* 1937.

To

The Firms dealing in Sterilizers.

Enquiry No. 2260.

ELECTRICAL STERILIZERS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly undertsood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being

made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electrical Sterilizers, etc.," with the above enquiry number.

This enquiry will be closed on the 17th May 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Shimoga.	
1	Battery of sterilisers consisting 2 Bowel Sterilisers 20″×16″×15″ fitted with one ×two K.W.Immersion heater each and one instrument sterilizer 18″×9″×9″ fitted with 1×2 K.W. Immersion Heater. The whole mounted on a white enamelled pipe stand with flexible cord and plug complete ..	One		
2	Instrument Sterilizer 18″×9″×9″ with 1×2 K.W. Immersion Heater plug and cord and perforated tray mounted on a white enamelled Pipe Stand	One		
3	Small Instrument Sterilizer for Scalpels, etc., 10″×5″×5″ with automatic tray lifting arrangement and fitted with 1×1 K.W. Immersion Heater, 8 ft. cord and plug ..	One		
4	Electric warming cushions. Inox structure fitted with radio suppressor. Size 12″×6″ with flex, plug and 3 heat switch twin regulators 220 volts power supply	One		
5	Electric Saucepan—Brass, highly polished, nickel plated outside, tinned inside, Bakelite handle and bakelite knob on lid	One		

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.